

Debsch.

ARCHITECTURAL LIGHTING


Catalogue 2015



Debsch lighting was formed in 1987.

from the beginning our purpose was professionalism.
each item that we present to our public is a new design concept, created using the latest technology ideas and the finest materials we can find. we pride ourselves on our efficient pre and post sales service. Each lamp of the debsch lighting collection is dedicated to the customer who appreciates originality created with safety in mind which anticipates and overtakes fashion trends.

INDEX



Sircle
family

7



Solitario

16


18



Lule

20

22



Yoyo

25

30




Jeidi

32

34

38

Ricci



Arya



Verse
family



Ondex



Products details



Sircle Family


There's always something magic in the words "circles of light", we discovered every little aspect of these words in the long journey we took to create something that, we believe, is outstanding.

The perfect shape of Sircle is an exemplary synthesis between the designer's creativity, research for new materials, and technology.

Sircle won't just capture your eyes with its minimalistic and pure design but also is capable to provide 360° lighting of the surrounding environment, and for us that's the main point: products that do really make light and atmosphere.

The high quality LED ensures a high level of energy efficiency and durability and the light is warm, perfectly diffused thanks to the high density plastic ring: it's bright but its brightness is not aggressive to your eyes, so that you can watch it and enjoy it.

The family of Sircle is produced in several different models and applications, all studied to the very last detail in order to create a sense of perfection. We are sure that you will enjoy our work, from the easiness of the mounting system to the durability and solidity of the lamp. As we do, take your time and explore every single perspective of the new Debsch iconic product.



There are three different rings sizes: small (12 cm Ø), medium (18 cm Ø) and large (24 cm Ø), the total number of elements depends on the model. The length of cables is adjustable from the top rod (A): the cable can rotate on itself as well as the ring (B), the anchor point of the cable can be adjusted from the top rod, far or near to the ceiling rose (C), also the position of the top rods can be rotated in the horizontal plane, resulting in a different layout of the attached rings(D). The position of all the rings is then completely adjustable in both horizontal and vertical directions.

Code	Description	Colors	Lumens (lm)	Power (Watt)
SRS0-011	With two rings (1 x 18cm Ø, 1 x 24cm Ø)	White & Black	2553	20,5
SRS0-111	With three rings (1 x 12cm Ø, 1 x 18cm Ø, 1 x 24cm Ø)	White & Black	3213	26
SRS0-222	With six rings (2 x 12cm Ø, 2 x 18cm Ø, 2 x 24cm Ø)	White & Black	5106	52

See all details at page: 38






Sircle Suspension

Suspension lamp providing diffused lights. The lighting rings consist of the diffuser, made in high density polymer, and the aluminium ring that ensure the right amount of cooling to the LED. Position of the rings and so the overall look of the design are highly customizable.

The white ceiling rose is made of aluminium and steel and contains the LED driver.

Sircle Suspension is produced in 3 different configurations by default but it's possible to order custom configuration and colors.

Designer: H. Khademi



There are three different rings size, small (12 cm Ø), medium (18 cm Ø), the total number of elements depends on the model. Rings position are adjustable from the rod.

Code	Description	Colors	Lumens (lm)	Power (Watt)
SRP0-200	With two rings (2 x 12cm Ø)	White & Black	1320	11
SRP0-020	With two rings (2 x 18cm Ø)	White & Black	2076	17
SRP0-110	With two rings (1 x 12cm Ø, 1 x 18cm Ø)	White & Black	1698	14
SRP0-210	With three rings (2 x 12cm Ø, 1 x 18cm Ø)	White & Black	2358	19
SRP0-120	With three rings (1 x 12cm Ø, 2 x 18cm Ø)	White & Black	2736	22,5

See all details at page: 38







Sircle wall

Ceiling lamp providing diffused and reflected lights. The lighting rings consists of a high density polymer diffuser and the aluminium ring that ensure the right level of cooling to the LED. The white ceiling rose contains the driver for the LED, it's made of aluminium and steel.

Sircle Ceiling is produced in 5 different configurations by default. It's possible to order custom configuration and colours.

Designer: H. Khademi



There are three different rings size, small (12 cm Ø), medium (18 cm Ø), large (24 cm Ø) the total number of elements depends on the model. Rings position are adjustable from the rob.

Code	Description	Colors	Lumens (lm)	Power (Watt)
SRC0-011	With two rings (1 x 18cm Ø, 1 x 24cm Ø)	White & Black	2550	20,5
SRC0-111	With three rings (1 x 12cm Ø, 1 x 18cm Ø, 1 x 24cm Ø)	White & Black	3213	26
SRC0-021	With three rings (2 x 18cm Ø, 1 x 24cm Ø)	White & Black	3591	29
SRC0-121	With four rings (1 x 12cm Ø, 2 x 18cm Ø, 1 x 24cm Ø)	White & Black	4251	31,5
SRC0-211	With four rings (2 x 12cm Ø, 1 x 18cm Ø, 1 x 24cm Ø)	White & Black	3873	31,5

See all details at page: 39






Sircle

Ceiling

Ceiling lamp providing diffused and reflected lights. The lighting rings consists of a high density polymer diffuser and the aluminium ring that ensure the right level of cooling to the LED. The white ceiling rose contains the driver for the LED, it's made of aluminium and steel.

Sircle Ceiling is produced in 5 different configurations by default. It's possible to order custom configuration and colours.


Designer: H. Khademi



There's two rings size, small (12 cm Ø), medium (18 cm Ø), the total number of elements depends on the model. The total length of the black rod is 185 cm or 195 cm (depending on model). Dimmer on wire.

Code	Description	Colors	Lumens (lm)	Power (Watt)
SRL0-100	With one ring (12cm Ø)	White & Black	660	5,5
SRL0-010	With one ring (18cm Ø)	White & Black	1038	8,5
SRL0-110	With two rings (1 x 12cm Ø, 1 x 18cm Ø)	White & Black	2553	14

See all details at page: 40



Sircle


Long



Wall lamp providing diffused and reflected light. The lighting rings consist of a high density polymer diffuser and the aluminium ring that ensure the right level of cooling to the LED.

At the bottom of the rod a cable (1,5 m long) connects the lamp with the driver which is mounted on plug (with U.S.A., U.K., EU adapters included), this gives to the customer the freedom to install the lamp anywhere there's a socket.

Designer: H. Khademi



Suspension lamp providing direct light. The LED, aluminium cooler and lens are custom made, two curved rods and wires connects the lights to the ceiling rose. LED are available in cold, neutral or warm colour temperature, and the light beam is available with a diffusion cone of 40 or 25 degree angle.

Code	Description	Colors	Lumens (lm)	Power (Watt)
RicX	LED cold temperature color / Beam cone 25° or 40° angle	White & Black	540	7
RinX	LED neutral temperature color / Beam cone 25° or 40° angle	White & Black	540	7
RiwX	LED warm temperature color / Beam cone 25° or 40° angle	White & Black	540	7

See all details at page: 40



Ricci



Just the essential, with that feeling of softness and the elegance, a slim black outline that design your space. This eye-catcher product is simple but unique and will give you a sense of preciousness. Nothing is hidden, as every part co creates the entire design, from the LED lens to the emitter itself, and the cooler, the rod and the cable, every technical piece is custom made with the highest possible quality. The integrated LED emitter creates a rich spot of light and is available in several colour temperatures.

Take your time and watch Ricci from many different perspectives, you will discover how its shape changes from any angle you look at it.

Designer: H. Khademi



Suspension lamp providing direct light. The weight cylinder balance the lamp and keep the wire in tension from the black and white ceiling rose, steel wires keep the chromed steel rod and light in position, true Swarovsky Crystal Elements decorate the overall design. The orientation of the spot LED is adjustable in vertical position (170 degrees of orientation) from the black height and whole body can rotate from the ceiling rose. LEDs are available in cold, neutral or warm colour temperature, and the light beam is available with a diffusion cone of 40 or 25 degree angle.

Code	Description	Colors	Lumens	Power (Watt)
SocX	LED cold temperature color / Beam cone 25° or 40° angle	Black & Chrome	270	4
SonX	LED neutral temperature color / Beam cone 25° or 40° angle	Black & Chrome	270	4
SowX	LED warm temperature color / Beam cone 25° or 40° angle	Black & Chrome	270	4

See all details at page: 40




Solitario



The design of Solitario is inspired by jewelry, tiny wires with precious elements. This emotional spot light, full of technology and creativity just reveals itself with all the beauty of a well curved shape, perfectly balanced, true Swarovky Crystal Elements, and the beautiful LED bulb. The spot can perfectly light every surface, just move it vertically to a new position and every different angle will create a different outline of it. The custom made LED, the cooling element and lens are made with the latest technologies and guarantee a great light, durable and focused.


Designer: H. Khademi



Suspension light providing diffused light from the parabolic diffuser. The lamp comes with two or three lighting units based on the model. Each unit consists of a white aluminium rod that holds the high quality LED source. The polycarbonate diffuser is mounted on it and reflects light above and below the lamp. A wire connect the unit to the ceiling rose witch contain the LED driver. The whole unit can rotate from the ceiling rose. LED are available in cold, neutral or warm colour temperature.

Code	Description	Colors	Power (Watt)
Ar2X	With 2 lighing units - LED in cold/neutral/warm temperature color	Black & White	6
Ar3X	With 3 lighing units - LED in cold/neutral/warm temperature color	Black & White	9
Ar5X	With 5 lighing units - LED in cold/neutral/warm temperature color	Black & White	15

See all details at page: 41




Arya



Softness and lightness: just pure emotional light. ARYA, comes from the combination of the Italian word aria, air, and Arya, a personal noun in Iranian culture. This is what the design was inspired by: something that seems light and pure. The light beam is generated by a high quality LED, the perfect reflection of the light beam along the parabola creates a diffused warm atmosphere, and also provides a great quantity of light.

Designer: H. Khademi



Suspension light providing direct light to the surface. The cylinder are made of aluminium and can hold any type of GU10, the lamp holder brings direct 220v/110v. One single steel cable keeps the two cylinders in position, this also creates the 'lift' effects. When one unit is moved, the other moves in the opposite direction. Two wires bring electric current from the ceiling rose to the cylinders. Replacing LED lamp is easy to be done from the bottom.

Lamp bulbs not included.

Code	Description	Colors
Lu2	With 2 lighting units - GU10 lampholder	Black / White

See all details at page: 41





Lule

Classics never die. LULE is a pleasant product with some great features. It's movable, as thanks to a lift system every unit can be shifted, and when moving one unit, the other will move in the opposite direction. It's joyful, and beside the default colours, the body and wire can be ordered in several different colors. It's flexible, it can hold any type of GU10 L.E.D lamps. All materials are made of great quality materials and this makes LULE a solid durable and great lamp

Designer: H. Khademi



Verse family

It took a great amount of time to create something unique and full of features, and we are proud of the result. The elegance of Verse suits perfectly every place that has to be greatly illuminated. The first important feature is the light: Verse can bring you all the power of the G11 lamps with all type of sources as halogen, CDM or L.E.D. The head of this lamp is movable with an angle of 180° which is perfect to adjust it to the right position.

Comes in different sizes that work greatly both on a wall or a ceiling and can be mounted on standard track lighting. Verse is our vision of a technical lamp, a pure design product with great capabilities and durability. As all details are important, we developed for this device a “pure” fixing system that permits a clean and fast assembling by the installer.



Verse 310

Wall

Ceiling

L. track

☒

☒

☒

Verse 250

Wall

Ceiling

L. track

☒

☒

☒

Verse 212

Wall

Ceiling

L. track

☒

☒

☒

Code	Description	Colors
VeXXXL1	Tot. Height:310 cm / Cdm - Led Osram - Led Philips - QR11 (Halogen)	Black / White / Custom
VeXXXL2	Tot. Height:250 cm / Led Osram - Led Philips - QR11 (Halogen)	Black / White / Custom
VeXXXB3	Track lighting mounting / \Tot. Height:212 cm / Led Osram - Led Philips	Black / White / Custom

See all details at page: 41






Verse

310 - 250 - 215

Spot lamp with direct light. The lamp is composed of the body, that hold the driver (where needed), and the head, that hold the bulb, both in aluminium. The head is 180° adjustable. The whole lamp comes in three different heights: 215 cm, 250cm, and 315cm. Verse holds G11 bulb with any type of source: halogen, CDM or LED. Easy to apply on wall or ceiling, or track lighting. Replacing LED lamp is easy to be done from the bottom.

Designer: H. Khademi



Code	Description	Colors
VEXXXLG	Tot. Height:860 cm / Led Osram - QR11 (Halogen)	Black / White / Custom

See all details at page: 42






Verse

Long

Ceiling spot lamp providing direct light. The lamp is composed of one aluminium body, that holds the driver and the lamp. Total height: 860cm. Verse Long holds G11 bulb with halogen or LED source. Easy to apply on ceiling. Replacing LED lamp is easy to be done from the bottom.

Designer: H. Khademi




Suspension lamp providing diffused lighting with 6 or 8 or 12 lighting sources.
Metal lamp body available in metallized light grey finish with stainless steel spiral cables.
Murano glass spheres counterbalances allow the lamps to move up and down over the steel cable.
Murano glass spheres are available in crystal, blue, green, red, acquamarine colours. LED powered.

Code	Description	Colors	Lumens	Power (Watt)
YOYO12 Ld	12 Light bulbs (Included)	Grey	5040	42
YOYO8 Ld	8 Light bulbs (Included)	Grey	3360	28
YOYO6 Ld	6 Light bulbs (Included)	Grey	2520	21

See all details at page: 43






Yoyo
2015 restyle

Yoyo has been an iconic Debsch product for many years. This big suspension lamp fit perfectly in every medium-big space and creates a great atmosphere with its elegant shape. It's totally re-shapeable, every day, just with a movement. Thanks to a lift effect, the lamp bulbs are counterbalanced by a glass sphere, both the sphere or the bulb can be moved up or down and the other will follow it in the opposite direction. Thanks to this great feature Yoyo is a very dynamic lamp. In 2015 we decided to restyle it, focusing on the movement and a new light source: great LED bulbs. Take your time and play a bit with the infinite possibilities of its outline.

Designer: H. Khademi




Wall fixture providing diffused lighting. Metal lamp body available in chrome, metallized light grey - chromate details and white finishes. Tubular sandblasted pyrex glass diffuser. Ondex parete comes also with a Murano glass sphere available in crystal, blue, pink, green, red, yellow, aquamarine and amber colours.
Bulbs: B15d - G9 (Halogen)

Ondex Long is powered with plug and dimmerable. Easy to mount.
Ondex Parete needs a classic wall mounting.

Code	Description	Colors	Power (Watt)
OXL3040	ONDEX LONG - Powered with a plug, dimmerable.	Grey	75
OSP3040	ONDX PARETE	Grey	75

See all details at page: 43







Ondex
Long

Ondex
Parete

Our best selling product. The design comes from the idea of an old candle holder, but with a minimalist and elegant attitude. Ondex long fits perfectly in every space and it's powered with a plug, so it can be applied everywhere there's a socket.

Designer: H. Khademi



Suspension lamp providing diffused lighting. The light element runs vertically over a steel cable. Metal lamp body available in chrome, metallized light grey and black/anthracite finishes. White painted pyrex external glass diffuser and tubular sandblasted pyrex internal glass diffuser. Powering with plug. Dimmer. Easy to mount.

Code	Description	Colors	Power (Watt)
JD3030	JEIDI - powered with plug - dimmerable	Grey	75

See all details at page: 43












Jeidi












Jeidi is one of our most famous products. It owes its popularity to the design and the movement, you can adjust it vertically in every position, and so you can have a dimmed soft light near you, or a large diffuse light near the ceiling with just one movement. Jeidi is made of 116 parts, all custom made and perfectly studied, to make it a great durable lamp.


Products details.


Sircle Suspension

	SRS0-011	Sircle suspension with 2 rings	CE IP20	 	A+
	Suspension lamp providing diffused lights. Rings dimensions: 1 x 18 cm Ø, 1 x 24 cm Ø				
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour				
	230/110V	2553 lm	20,5 Watt	H:100,0 cm W: 36,0 cm	
	SRS0-111	Sircle suspension with 3 rings	CE IP20	 	A+
	Suspension lamp providing diffused lights. Rings dimensions: 1 x 12 cm Ø, 1 x 18 cm Ø, 1 x 24 cm Ø				
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour				
	230/110V	3213 lm	26 Watt	H:100,0 cm W: 36,0 cm	
	SRS0-222	Sircle suspension with 6 rings	CE IP20	 	A+
	Suspension lamp providing diffused lights. Rings dimensions: 2 x 12 cm Ø, 2 x 18 cm Ø, 2 x 24 cm Ø				
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour				
	230/110V	5106 lm	52 Watt	H:100,0 cm W: 36,0 cm	


Sircle Wall


	SRP0-200	Sircle wall with 2 rings	CE IP20	 	A+
	Wall lamp providing diffused and reflected light. Rings dimensions: 2 x 12 cm Ø				
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour				
	230/110V	1320 lm	11 Watt	W: 24 cm	
	SRP0-020	Sircle wall with 2 rings	CE IP20	 	A+
	Wall lamp providing diffused and reflected light. Rings dimensions: 2 x 18 cm Ø				
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour				
	230/110V	2076 lm	17 Watt	W: 36 cm	
	SRP0-110	Sircle wall with 2 rings	CE IP20	 	A+
	Wall lamp providing diffused and reflected light. Rings dimensions: 1 x 12 cm Ø, 1 x 18 cm Ø				
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour				
	230/110V	1698 lm	14 Watt	W: 30 cm	


	SRP0-210	Sircle wall with 3 rings	CE IP20		F	A+
	Wall lamp providing diffused and reflected light. Rings dimensions: 2 x 12 cm Ø, 1 x 18 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	2358 lm	19 Watt	W: 30 cm		


	SRP0-120	Sircle wall with 3 rings	CE IP20		F	A+
	Wall lamp providing diffused and reflected light. Rings dimensions: 1 x 12 cm Ø, 2 x 18 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	2736 lm	22,5 Watt	W: 30 cm		


Sircle Ceiling

	SRC0-011	Sircle ceiling with 3 rings	CE IP20		F	A+
	Ceiling lamp providing diffused and reflected light. Rings dimensions: 1 x 18 cm Ø, 1 x 24 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	2550 lm	20,5 Watt	W: 42 cm		





	SRC0-111	Sircle ceiling with 3 rings	CE IP20		F	A+
	Ceiling lamp providing diffused and reflected light. Rings dimensions: 1 x 12 cm Ø, 1 x 18 cm Ø, 1 x 24 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	3213 lm	26 Watt	W: 42 cm		





	SRC0-021	Sircle ceiling with 3 rings	CE IP20		F	A+
	Ceiling lamp providing diffused and reflected light. Rings dimensions: 2 x 18 cm Ø, 1 x 24 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	3591 lm	29 Watt	W: 42 cm		





	SRC0-121	Sircle ceiling with 4 rings	CE IP20		F	A+
	Ceiling lamp providing diffused and reflected light. Rings dim: 1 x 12 cm Ø, 2 x 18 cm Ø, 1 x 24 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	4151 lm	34,5 Watt	W: 42 cm		

	SRC0-211	Sircle ceiling with 4 rings	CE IP20		F	A+
	Ceiling lamp providing diffused and reflected light. Rings dim: 2 x 12 cm Ø, 1 x 18 cm Ø, 1 x 24 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	3873 lm	52 Watt	W: 42 cm		





Sircle Long

	SRL0-100	Sircle long with 1 ring	CE IP20			
	Wall lamp providing diffused and reflected light. Plug powered. Rings dimensions: 1 x 12 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	660 lm	5,5 Watt	H:199,5 cm		





	SRL0-010	Sircle long with 1 ring	CE IP20			
	Wall lamp providing diffused and reflected light. Plug powered. Rings dimensions: 1 x 18 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	1038 lm	8,5 Watt	H: 210,7 cm		

	SRL0-110	Sircle long with 2 rings	CE IP20			
	Wall lamp providing diffused and reflected light. Plug powered. Rings dimensions: 1 x 12 cm Ø, 1 x 18 cm Ø					
	Led 2700 K - available also neutral (4000 K) and cold (6000 K) temp. colour					
	230/110V	1698 lm	14 Watt	H:210,7 cm		





Ricci




	RiX-2	Ricci	CE IP20			
	Suspension lamp providing direct light.					
	Led warm- available also neutral and cold temp. colour			Light Beam cone available 25° or 40° angle		
	230/110V	540 lm	7 Watt	H:150 cm		




Solitario

	SowX	Solitario	CE IP20			
	Suspension lamp providing direct light.					
	Led warm- available also neutral and cold temp. colour			Light Beam cone available 25° or 40° angle		
	230/110V	270 lm	3,5 Watt	H:130 cm W. max:30 cm		





Arya

	AR2c	Arya 2	CE IP20			
	Suspension light providing diffused light from 2 lighting units					
	230/110V		6 Watt	??		





	AR3c	Arya 3	CE IP20			
	Suspension light providing diffused light from 3 lighting units					
	230/110V		9 Watt	??		





	AR5c	Arya 5	CE IP20			
	Suspension light providing diffused light from 5 lighting units					
	230/110V		15 Watt	??		

Lule





	LU2	Lule	CE IP20			
	Suspension light providing direct light. GU10 mount. Lamp bulbs not included.					
	Custom combination of colours: Body available in "colori", wires available in "."					
	230/110V			H: 130 cm		





Verse - Ceiling/wall mount





	VEXXXL1	Verse 310 ceiling/wall	CE IP20			
	Spot lamp with direct light. G11 (Halogen, LED Osram, LED Philips, CDM mount) lamp bulb not included.					
	Ceiling or wall mount. Body colour available in black or white (other colors on request)					
	230/110V			H: 31,0 cm		

	VEXXXL2	Verse 250 ceiling/wall	CE IP20			
	Spot lamp with direct light. G11 (Halogen, LED Osram, LED Philips) lamp bulb not included.					
	Ceiling or wall mount. Body colour available in black or white (other colors on request)					
	230/110V			H: 25,0 cm		




Verse - standard track lighting mount

	VEXXXB1	Verse 310 track lighting		CE IP20			
	Spot lamp with direct light. G11 (QR11Halogen, LED Osram, LED Philips, CDM mount) lamp bulb not included.						
	Track lighting mount. Body colour available in black or white (other colors on request)						
	230/110V				H: 31,0 cm		





	VEXXXB2	Verse 250 track lighting		CE IP20			
	Spot lamp with direct light. G11 (QR11 Halogen, LED Osram, LED Philips) lamp bulb not included.						
	Track lighting mount. Body colour available in black or white (other colors on request)						
	230/110V				H: 25,0 cm		




	VEXXXB3	Verse 210 track lighting		CE IP20			
	Spot lamp with direct light. G11 (LED Osram, LED Philips mount, QR11 Halogen) lamp bulb not included.						
	Track lighting mount. Body colour available in black or white (other colors on request)						
	230/110V				H: 21,0 cm		




Verse Long

	VEXXXLG	Verse Long		CE	IP20		
	Ceiling lamp with direct light. G1 (Halogen, LED Osram, LED Philips mount) lamp bulb not included.						
	Track lighting mount. Body colour available in black or white (other colors on request)						
	230/110V				H: 86,0 cm		




Yoyo




	YOYO6 Ld		Yoyo 6		CE IP20				
	Suspension lamp providing diffused lighting with 6 lighting source. LED lamp bulbs included.								
	Sphere colors					Temp color: 2700 K			
	230/110V		Lm: 2520		21 Watt		H:122 cm		

	YOYO8 Ld		Yoyo 8		CE IP20			
	Suspension lamp providing diffused lighting with 8 lighting source. LED lamp bulbs included.							
	Sphere colors					Temp color: 2700 K		
	230/110V		Lm: 3360		28 Watt		H:122 cm	




	YOYO12 Ld		Yoyo 12		CE IP20			
	Suspension lamp providing diffused lighting with 12 lighting source. LED lamp bulbs included.							
	Sphere colors				Temp color: 2700 K			
	230/110V		Lm: 5040		42 Watt		H:122 cm	

Ondex

	OXp3040	Ondex Parete		CE	IP20		
	Wall fixture providing diffused lighting. Halogen lamp bulb not included.						
	Available in colors:						
	230/110V		75 Watt				

	OXL3040	Ondex Long		CE	IP20		
	Wall fixture providing diffused lighting. Halogen lamp bulb not included.						
	Available in colors:						
	230/110V		75 Watt				

Jeidi

	JD3030	Jeidi		CE	IP20		
	Suspension lamp providing diffused lighting. Powering with plug.						
	230/110V		75 Watt	H: 31,0 cm			

Thank you.

DEBSCH.
ARCHITECTURAL LIGHTING

DEBSCH lighting S. r. l
Tel. ++39.030.9823781
Via UGO LA MALFA 76
I-25050 PROVAGLIO D'ISEO BS
ITALY

info@debsch.it

Thanks to: Francesco Grani.
Photos: Ottavio Tomasini