

MICHAEL ANASTASSIADES

Michael Anastassiades is a London-based company specialising in the design and manufacturing of high quality lighting and objects. Established in 2007, it was founded to increase the availability of Michael's signature pieces. The objects are fabricated by family-run workshops worldwide, selected for their unique manufacturing skills and traditional use of materials. Each product is handcrafted and stamped with the designer's mark. Michael Anastassiades' design philosophy is to produce exceptionally designed objects of permanent value.



Michael launched his studio in 1994 to explore contemporary notions of culture and aesthetics through a combination of product, furniture and environmental design. Positioned between fine art and design, his work aims to provoke dialogue, participation and interaction. It is featured in permanent collections at the Museum of Modern Art in New York, the Victoria and Albert Museum, London, the Crafts Council, London, the FRAC Centre in Orléans and the MAK in Vienna. Recent solo exhibitions include "To Be Perfectly Frank" at Svenskt Tenn in Stockholm, Cyprus Presidency at the European Parliament in Brussels, "Reload the Current Page" at Point Centre for Contemporary Art, Nicosia and "Doings on Time and Light" at Rodeo Gallery in Istanbul.

He designs products with various leading manufacturers, including Flos, Puiforcat, Lobmeyr and Svenskt Tenn. Anastassiades trained as a civil engineer at London's Imperial College of Science, Technology and Medicine before taking a masters degree in industrial design at the Royal College of Art. He lives and works in London.

Photography
by Hélène Binet











































Product Catalogue

MOBILE CHANDELIER 1, 2008
Black patinated brass, mouth blown opaline spheres.
Pendant rod length to order.



Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen for ø150mm sphere
760lm / 2700K

G4, 20W / 12V frosted halogen for ø60mm sphere
250lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
Bespoke versions available.

MOBILE CHANDELIER 2, 2008
Black patinated brass, mouth blown opaline spheres.
Pendant rod length to order.




Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen
760lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
Bespoke versions available.



MOBILE CHANDELIER 3, 2008
Black patinated brass, mouth blown opaline spheres.
Pendant rod length to order.



Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen for ø150mm sphere
760lm / 2700K

G4, 20W / 12V frosted halogen for ø60mm sphere
250lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
Bespoke versions available.

MOBILE CHANDELIER 4, 2008
Black patinated brass, mouth blown opaline sphere.
Pendant rod length to order.




Bulb specifications 120V / 240V

G6.35, 50W / 12V frosted halogen
760lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
Bespoke versions available.



MOBILE CHANDELIER 5, 2011
Black patinated brass, mouth blown opaline sphere.
Black silk braided flex, inline dimmer.



Bulb specifications 120V / 240V

G6.35, 50W / 12V frosted halogen
760lm / 2700K

MOBILE CHANDELIER 6, 2015
 Black patinated brass, mouth blown opaline spheres.
 Pendant rod length to order.



Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen for ø150mm sphere
 760lm / 2700K

G4, 20W / 12V frosted halogen for ø60mm sphere
 250lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
 Bespoke versions available.

MOBILE CHANDELIER 7, 2015
Black patinated brass, mouth blown opaline spheres.
Pendant rod length to order.



Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen for ø150mm sphere
760lm / 2700K

G4, 20W / 12V frosted halogen for ø60mm sphere
250lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
Bespoke versions available.

MOBILE CHANDELIER 8, 2015
Black patinated brass, mouth blown opaline sphere.
Pendant rod length to order.



Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen
760lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
Bespoke versions available.



MOBILE CHANDELIER 9, 2015
Black patinated brass, mouth blown opaline spheres.
Pendant rod length to order.



Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen for ø150mm sphere
760lm / 2700K

G4, 20W / 12V frosted halogen for ø60mm spheres
250lm / 2700K

120V version supplied with a 4" junction box cover

Minimum and maximum total drop lengths apply.
Bespoke versions available.

MOBILE CHANDELIER 10 - WALL MOUNTED, 2015
Black patinated brass, mouth blown opaline sphere.



Bulb specifications 120V / 240V


G6.35, 50W / 12V frosted halogen
760lm / 2700K

ON MY MIND, 2015

Polished brass, polished nickel-plated brass or black-patinated brass.

Mouth blown opaline glass.

Colour matched braided flex, inline switch.



Bulb specifications 240V
E14, 40W opal halogen bulb
350lm / 2800K



Bulb specifications 120V
E12, 40W opal halogen bulb
350lm / 2800K

REST, 2015

Satin brass, satin nickel-plated brass or black-patinated brass.

Mouth blown opaline sphere.

Black braided flex, inline switch.




373 (14.69 inches)

Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K



SOMEWHERE IN THE MIDDLE, 2015
Satin brass, satin nickel-plated brass or black-patinated brass.
Mouth blown opaline sphere.
Black braided flex, inline switch.





Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K



TO THE TOP, 2015
Satin brass, satin nickel-plated brass or black-patinated brass.
Mouth blown opaline sphere.
Black braided flex, inline switch.




Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

TIP OF THE TONGUE, 2013

Polished brass or polished nickel-plated brass, mouth blown opaline sphere.
Black braided flex, inline switch.





Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K



GET SET, 2013

Polished brass or polished nickel-plated brass, mouth blown opaline sphere.
Black braided flex, inline switch.



Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K


Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

HAPPY TOGETHER 1 - PENDANT ROD OR FLEX, 2015

Polished brass, polished nickel-plated brass or black-patinated brass.

Mouth blown opaline sphere. 2m standard flex length, bespoke length by order.

Pendant rod length to order with maximum rod length 2m.



Bulb specifications 120V / 240V
G9, 25W frosted halogen bulb
260lm / 3000K


120V supplied with a 4" junction box cover.



HAPPY TOGETHER 4 BERRIES

PENDANT ROD OR FLEX, 2015


Polished brass, polished nickel-plated brass or black-patinated brass.
Mouth blown opaline spheres. 2m standard flex length, bespoke length by order.
Pendant rod length to order with maximum rod length 2m.



HAPPY TOGETHER 10 BERRIES

PENDANT ROD OR FLEX, 2015


Polished brass, polished nickel-plated brass or black-patinated brass.
Mouth blown opaline spheres. 2m standard flex length, bespoke length by order.
Pendant rod length to order with maximum rod length 2m.



HAPPY TOGETHER 4 STACK

PENDANT ROD OR FLEX, 2015


Polished brass, polished nickel-plated brass or black-patinated brass.
Mouth blown opaline spheres. 2m standard flex length, bespoke length by order.
Pendant rod length to order with maximum rod length 2m.



HAPPY TOGETHER 10 STACK


PENDANT ROD OR FLEX, 2015

Polished brass, polished nickel-plated brass or black-patinated brass.
Mouth blown opaline spheres. 2m standard flex length, bespoke length by order.
Pendant rod length to order with maximum rod length 2m.



SINGLE ANGLE, 2013

Satin brass or satin nickel-plated brass, mouth blown opaline sphere.
Pendant rod length to order with maximum drop length 2.15m.




Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

120V version supplied with 4" junction box cover

DOUBLE ANGLE, 2013

Satin brass or satin nickel-plated brass, mouth blown opaline spheres.
Pendant rod length to order with maximum rod length 2m.




Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

120V version supplied with 4" junction box cover

TRIPLE ANGLE, 2013

Satin brass or satin nickel-plated brass, mouth blown opaline spheres.
Pendant rod length to order with maximum rod length 2m.




Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

120V version supplied with 4" junction box cover



BALL LIGHT SMALL - PENDANT ROD OR FLEX, 2008
 Polished brass, polished nickel-plated or black patinated stainless steel.
 2m standard flex length, bespoke length by order.
 Pendant rod length to order with maximum rod length 2m.




Bulb Specifications 240V
 E14, G9 33W Raxon halogen retrofit / ø45mm white globe
 458lm / 2700K

Bulb Specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø1.775" white globe
 458lm / 2700K

120V version supplied with 4" junction box cover

BALL LIGHT LARGE - PENDANT ROD OR FLEX, 2008
 Polished brass, polished nickel-plated or black patinated stainless steel.
 2m standard flex length, bespoke length by order.
 Pendant rod length to order with maximum rod length 2m.




Bulb specifications 240V
 E27, G9 33W Raxon halogen retrofit / ø95mm white globe
 458lm / 2700K

Bulb specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø3.75" white globe
 458lm / 2700K

120V version; supplied with 4" junction box cover

BALL LIGHTS 3 CEILING ROSE - PENDANT ROD OR FLEX, 2013
 Polished brass, polished nickel-plated or black patinated stainless steel.
 2m standard flex length, bespoke length by order.
 Pendant rod length to order with maximum rod length 2m.



Large

Bulb specifications 240V
 E27, G9 33W Raxon halogen retrofit / ø95mm white globe
 458lm / 2700K


Bulb specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø3.75\"/>

Small

Bulb specifications 240V
 E14, G9 33W halogen Raxon retrofit / ø45mm white globe
 458lm / 2700K

Bulb specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø1.775\"/>

BALL LIGHTS 5 CEILING ROSE - PENDANT ROD OR FLEX, 2013
 Polished brass, polished nickel-plated or black patinated stainless steel.
 2m standard flex length, bespoke length by order.
 Pendant rod length to order with maximum rod length 2m.



Large

Bulb specifications 240V
 E27, G9 33W Raxon halogen retrofit / ø95mm white globe
 458lm / 2700K


Bulb specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø3.75\"/>

Small

Bulb specifications 240V
 E14, G9 33W halogen Raxon retrofit / ø45mm white globe
 458lm / 2700K

Bulb specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø1.775\"/>

BALL LIGHT LARGE & SMALL WALL BRACKET, 2008
 Polished brass, polished nickel-plated or black patinated stainless steel.
 2m standard flex length, bespoke length by order.



Large

Bulb specifications 240V
 E27, G9 33W Raxon halogen retrofit / ø95mm white globe
 458lm / 2700K

Bulb specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø3.75" white globe
 458lm / 2700K

120V version supplied with 4" junction box cover


Small

Bulb specifications 240V
 E14, G9 33W Raxon halogen retrofit / ø45mm white globe
 458lm / 2700K

Bulb specifications 120V
 E26, G9 33W Raxon halogen retrofit / ø1.775" white globe
 458lm / 2700K

120V version supplied with 4" junction box cover

SMALL BALL - PENDANT ROD OR FLEX, 2015
Polished brass, polished nickel-plated or black-patinated brass.
Mouth blown opaline sphere.
2m standard flex length, bespoke length by order.
Pendant rod length to order with maximum rod length 2m.



Bulb specifications 120V / 240V
G9, 25W frosted halogen bulb
260lm / 3000K

120V supplied with 4" junction box cover


BOB - PENDANT ROD OR FLEX, 2015

Polished brass, polished nickel-plated brass or black-patinated brass.

Mouth blown opaline glass.

2m standard flex length, bespoke length by order.

Pendant rod length to order with maximum rod length 2m.



Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K


Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

120V version supplied with 4" junction box cover

BOB - CEILING MOUNTED, 2015

Polished brass, polished nickel-plated brass or black-patinated brass.

Mouth blown opaline glass.



Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K


Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

120V version supplied with 4" junction box cover

BOB - WALL MOUNTED, 2015

Polished brass, polished nickel-plated brass or black-patinated brass.

Mouth blown opaline glass.




Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

120V version supplied with 4" junction box cover


TIP OF THE TONGUE - CEILING & WALL MOUNTED, 2015
Polished brass or polished nickel-plated brass.
Mouth blown opaline sphere.



Bulb specifications 240V
G9, 40W frosted halogen bulb
460lm / 2800K

Bulb specifications 120V
G9, 40W frosted halogen bulb
350lm / 2800K

CONE LIGHT - CEILING & WALL MOUNTED, 2013
Polished brass or polished nickel-plated brass.




Bulb specifications 120V / 240V
G9, 25W frosted halogen bulb
260lm / 3000K

120V version supplied with 4" junction box cover



BALL LIGHT - CEILING MOUNTED, 2009

Polished brass, polished nickel-plated or black patinated stainless steel.




Bulb specifications 240V
E14, G9 33W Raxon halogen retrofit / ø45mm white globe
458lm / 2700K

Bulb specifications 120V
E12, G9 33W Paulmann halogen retrofit / ø1.775" white globe
458lm / 2700K

120V version supplied with 4" junction box cover

BALL LIGHT - WALL MOUNTED, 2009

Polished brass, polished nickel-plated or black patinated stainless steel.



Bulb specifications 240V
E14, G9 33W Raxon halogen retrofit / ø45mm white globe
458lm / 2700K


Bulb specifications 120V
E12, G9 33W Paulmann halogen retrofit / ø1.775" white globe
458lm / 2700K

120V version supplied with 4" junction box cover




TUBE WALL LIGHT 1M, 2006

Satin brass, polished nickel-plated or black patinated stainless steel.




TUBE WALL LIGHT 0.5M, 2006

Satin brass, polished nickel-plated or black patinated stainless steel.



TUBE WALL LIGHT 0.3M, 2013

Satin brass, polished nickel-plated or black patinated stainless steel.



Bulb specifications 240V

S14s opal LED tube
Radium Raledina 16,5W / 1000mm ø29mm
1000lm / 2700K


Bulb specifications 240V

S14s opal LED tube
Radium Raledina 9W / 500mm ø29mm
450lm / 2700K

Bulb specifications 240V

S14s opal LED tube
Radium Raledina 6W / 300mm ø29mm
250lm / 2700K


TUBE CHANDELIER, 2006
Satin brass or black patinated stainless steel.
Pendant rod length to order.



Bulb specifications 240V

S14s opal LED tube
Radium Raledina 16,5W / 1000mm $\text{ø}29\text{mm}$
1000lm / 2700K



ONYX LIGHT, 2007
Onyx, black silk braided flex, inline switch.



Bulb specifications 240V
E27, G9 33W Raxon halogen retrofit / ø95mm white globe
458lm / 2700K


Bulb specifications 120V
E26, G9 33W Raxon halogen retrofit / ø3.75" white globe
458lm / 2700K

BALL VASE, 2006
Polished brass, glass tube.




Available in three versions
Version 1: one large hole
Version 2: two small holes
Version 3: one small and one large hole


BEAUTY MIRROR, 2010
Gold-plated or nickel-plated stainless steel.




MIRROR GLASSES, 1997
Double wall mirrored silver glass.



Ice Bucket



Tumbler




Shot Glass





MEDITATION STOOL, 2006
Polished black marquina or statuary white marble.



Michael Anastassiades' design philosophy is to preserve the inherent qualities of given material. All of our products are handmade and come in natural finishes, exposed to the elements without any protective lacquers. We look at oxidation as part of a process that adds to the patina of an object, increasing beauty with time. We try our best for all goods to leave our premises in pristine condition, but sometimes products may arrive with minor oxidation marks.

Whilst every effort is made to ensure accurate representation of product colours, finishes and dimensions, Michael Anastassiades Ltd reserves the right to alter these details without notice, in compliance with its own production needs, technological changes or in response to the current market needs. Colour swatches are for reference only; Michael Anastassiades Ltd cannot guarantee exact colour match for any product finishes.

All designs are protected under copyright law. Michael Anastassiades holds the exclusive manufacturing and distribution rights worldwide. Copying will be prosecuted.

All light fixtures in this catalogue have CE marking compliance.

Catalogue design by Studio Omar Sosa
Printed in London

Michael Anastassiades LTD
122 Lower Marsh, London SE1 7AE
T +44 (0)20 7928 7527
sales@michaelanastassiades.com
www.michaelanastassiades.com
© 2015, Michael Anastassiades LTD. All rights reserved.