

Outdoor Lights


Bulkheads:	Pg
• Round Die-cast Aluminium	273
• Oval Die-cast Aluminium	275
• New Euro Range	277
• Moon Shaped Aluminium	279
• Cheese Fitting	279
• Clio	279
• Euro Range	280
• Outdoor	281
• Oval Design	283
• Decorative Round	284
• Stainless Steel Wall Fitting	285
• Bricklights	287
• Outdoor Lanterns	289
• Fluorescent Vapour Proof Fitting	292
• Bollards	294
• Wall Light - Stainless Steel	294
• Garden Spike & Wall Lights	295
• Pole Tops	298
• Sphere Bowls & Accessories	299
• PAR38 Garden Spike	300
• Flood Light Energy Saver	300

Bulkheads - Round Die-Cast Aluminium

Plain (Small)

Max wattage:	240V / 60W
Lamp:	1 x 60W ES
Diameter:	180mm
Height:	100mm
Colours:	White, Black
Class:	I
IP:	54


Code: V1P/C/1302-B49



Grid (Small)

Max wattage:	240V / 60W
Lamp:	1 x 60W ES
Diameter:	180mm
Height:	100mm
Colours:	White, Black
Class:	I
IP:	54


Code: V1P/C/1301-B49/G



Eyelid (Small)

Max wattage:	240V / 60W
Lamp:	1 x 60W ES
Diameter:	180mm
Height:	100mm
Colours:	White, Black
Class:	I
IP:	54

Code: V1P/C/1303-B49/E




5

Bulkheads - Round Die-Cast Aluminium



Plain (Large)

Max wattage:	240V / 100W
Lamp:	1 x 100W ES
Diameter:	244mm
Height:	125mm
Colours:	White, Black
Class:	I
IP:	54
Code:	V1P/C/1102-B51



Grid (Large)



Max wattage:	240V / 100W
Lamp:	1 x 100W ES
Diameter:	244mm
Height:	125mm
Colours:	White, Black
Class:	I
IP:	54
Code:	V1P/C/1103-B51/G



5

Eyelid (Large)

Max wattage:	240V / 100W
Lamp:	1 x 100W ES
Diameter:	244mm
Depth:	125mm
Colours:	White, Black
Class:	I
IP:	54
Code:	V1P/C/1303-B51/E




Bulkheads - Oval Die-Cast Aluminium

Plain (Small)

Max wattage:	240V / 60W
Lamp:	1 x 60W
Length:	210mm
Width:	100mm
Height:	110mm
Colours:	White, Black
Class:	I
IP:	54


Code: V1P/C/1402-B48



Grid (Small)

Max wattage:	240V / 60W
Lamp:	1 x 60W
Length:	210mm
Width:	100mm
Height:	110mm
Colours:	White, Black
Class:	I
IP:	54


Code: V1P/C/1401-B48/G



Eyelid (Small)

Max wattage:	240V / 60W
Lamp:	1 x 60W
Length:	210mm
Width:	100mm
Height:	110mm
Colours:	White, Black
Class:	I
IP:	54

Code: V1P/C/1403-B48/E





5

Bulkheads - Oval Die-Cast Aluminium


Plain (Large)

Max wattage:	240V / 100W
Lamp:	1 x 100W
Length:	280mm
Width:	160mm
Height:	130mm
Colours:	White, Black
Class:	I
IP:	54
Code:	V1P/C/1202-B50



Grid (Large)


Max wattage:	240V / 100W
Lamp:	1 x 100W
Length:	280mm
Width:	160mm
Height:	130mm
Colours:	White, Black
Class:	I
IP:	54
Code:	V1P/C/1201-B50/G



5

Eyelid (Large)

Max wattage:	240V / 100W
Lamp:	1 x 100W
Length:	280mm
Width:	160mm
Height:	130mm
Colours:	White, Black
Class:	I
IP:	54
Code:	V1P/C/1203-B50/E



Bulkheads - New Euro Range

Square Grid

Injection moulded

Polycarbonate diffuser ABS base and skirt

Max wattage:

240V / 60W

Lamp:

B22/E27, 2D 16W,
2 x PL9W

Diameter:

272mm

Height:

115mm

Colours skirt:

White, Black, Silver

Colours diffuser:

Opal, Clear

Class:




I

IP:

55

All PVC

Code: V1PPRISMGR1



5

Triangular Grid

Injection moulded

Polycarbonate diffuser ABS base and skirt

Max wattage:

240V / 60W

Lamp:

B22/E27, 2D 16W,
2 x PL9W

Diameter:

272mm

Height:

115mm

Colours skirt:

White, Black, Silver

Colours diffuser:

Opal, Clear

Class:




I

IP:

55

All PVC



Code: V1PPRISMTRI



Bulkheads - New Euro Range




Eyelid

Injection moulded
 Polycarbonate diffuser ABS base and skirt
 Max wattage: 240V / 60W
 Lamp: B22/E27, 2D 16W,
 2 x PL9W
 Diameter: 272mm
 Height: 115mm
 Colours skirt: White, Black, Silver
 Colours diffuser: Opal, Clear
 Class: I
 IP: 55
 All PVC
 Code: V1PPRISMEYE



Clip

Injection moulded
 Polycarbonate diffuser ABS base and skirt
 Max wattage: 240V / 60W
 Lamp: B22/E27, 2D 16W,
 2 x PL9W
 Diameter: 272mm
 Height: 115mm
 Colours skirt: White, Black, Silver
 Colours diffuser: Opal, Clear
 Class: I
 IP: 55
 All PVC
 Code: V1PPRISMCLP





5

Bulkheads - Die-Cast Aluminium

Moon Shaped

Max wattage:	240V / 60W
Lamp:	1 x 60W
Length:	219mm
Weight:	125mm
Height:	154mm
Colours:	White, Black
Class:	I
IP:	54

Code: V1P/C/2401-B59



Bulkhead - Cheese Fitting


Polypropylene

Injection moulded polypropylene base and diffuser

Max wattage:	240V / 100W
Lamp:	1 x 100W
Diameter:	245mm
Height:	125mm
Colour:	White opal diffuser with black base

Colours diffuser:	Opal, Clear
Class:	I
IP:	44

Code: V1PPRISMRF100WES




Bulkhead - Clio

Injection moulded

Polycarbonate diffuser ABS base

Max wattage:	240V / 60W
Lamp:	B22
Length:	215mm
Width:	120mm
Height:	105mm
Colours base:	White, Black PVC
Colours diffuser:	Clear
Class:	I
IP:	44

Code: V1PPRISMCLI60WBC/ES



5


Bulkheads

Euro Triangular Design Lens (Decor)

Injection moulded
 Polycarbonate diffuser ABS base and skirt
 Max wattage: 240V
 Lamp: B22/E27, 2D 16W, 2 x PL9W
 Length: 272mm
 Width: 115mm
 Colours skirt: White, Black
 Colours diffuser: Opal, Clear
 Also available with a day/night sensor
 Class: I
 IP: 55
 Code: V1PPRISMEURO




Also available with a day/night sensor




Euro (Super Slim)

Injection moulded
 Polycarbonate diffuser ABS base and skirt
 Max wattage: 240V
 Lamp: 2D 16W, 2 x PL9W
 Diameter: 272mm
 Height: 57mm
 Colours skirt: White, Black
 Colours diffuser: Opal, Clear
 Class: I
 IP: 55
 Code: V1PPRISMSLIM



Maxi Econo 16W 2D (Slim)


Injection moulded
 Polycarbonate diffuser ABS base and skirt
 Max wattage: 240V
 Lamp: 2D 16W
 Diameter: 286mm
 Height: 57mm
 Colours skirt: White
 Colours diffuser: Opal
 Class: I
 IP: 55
 Code: V1PPRISMMAXI2D0



Bulkheads - Outdoor


DTR (Rectangle) High Visor

Injection moulded
 Polycarbonate diffused die-cast aluminium base
 Max wattage: 240V / 100W
 Lamp: B22/E27, 2 x PL9W
 Length: 225mm
 Width: 130mm
 Height: 115mm
 Colours base: White
 Colours diffuser: Clear
 Class: I
 IP: 55
 Code: V1PPRISMDTR100B22E27
 V1PPRISMDTR2PL9HV




DTR (Rectangle) Low Visor

Injection moulded
 Polycarbonate diffused die-cast aluminium base
 Max wattage: 240V
 Lamp: 1 x PL9, 2 x PL9W
 Length: 225mm
 Width: 130mm
 Height: 80mm
 Colours base: White
 Colours diffuser: Clear
 Class: I
 IP: 55
 Code: V1PPRISMDTR1PL9
 V1PPRISMDTR2PL9



DTS (Square) Specifications

Injection moulded
 Polycarbonate diffused die-cast aluminium base
 Max wattage: 240V / 100W
 Lamps: B22/E27, 2D 16W,
 2 x PL9W
 Length: 190mm
 Width: 190mm
 Height: 115mm
 Colours base: White
 Colours diffuser: Clear
 Class: I
 IP: 55
 Code: V1PPRISMDTS100B22/E27
 V1PPRISMDTS2D
 V1PPRISMDTS2PL9




5

Bulkheads - Outdoor

B30 Rectangle

Injection moulded
 Polycarbonate diffuser Die-cast aluminium base
 Max wattage: 240V
 Lamps: 2 x 26W PL
 2 x 18W PL
 Length: 370mm
 Width: 105mm
 Height: 105mm
 Colours base: White, Black
 Colours diffuser: Clear, Opal
 Class: I
 IP: 55


Code: V1PPRISMB30/2PL26W
 V1PPRISMB30/2PL18W



DTC Low Visor with Skirt Specifications

Injection moulded
 Polycarbonate diffuser Die-cast aluminium base
 Max wattage: 240V
 Lamps: 2D 16W, 2 x PL9W
 Diameter of base: 190mm
 Diameter of skirt: 255mm
 Height: 85mm
 Colours base: White
 Colours skirt: White
 Colours diffuser: Clear
 Class: I
 IP: 55


Code: V1PPRISMD2D
 V1PPRISMD2PL9



DTC High Visor Specifications

Injection moulded
 Polycarbonate diffuser Die-cast aluminium base
 Max wattage: 240V / 100W
 Lamp: B22/E27, 2D 16W,
 2 x PL9W, 14W, 15W
 Diameter: 190mm
 Height: 115mm
 Colours base: White
 Colours diffuser: Clear
 Class: I
 IP: 55

Code: V1PPRISMD100W-B22/E27
 V1PPRISMD2DHV
 V1PPRISMD2PL9HV





5

Stainless Steel Wall Fittings

JL1


Max wattage:	240V / 60W E27
Lamps:	1 x 60W or 1 x 11W, 14W, 15W T ornado, 16W E27
Length:	300mm
Width:	230mm
Depth:	98mm
Colours:	Stainless steel
Class:	II
IP:	44
Code:	V1P/SUN-JL1



5

JL2


Max wattage:	240V / 60W E27
Lamps:	1 x 60W or 1 x 11W, 14W, 15W T ornado, 16W E27
Length:	300mm
Width:	230mm
Depth:	98mm
Colours:	Stainless steel
Class:	I
IP:	44
Code:	V1P/SUN-JL2



Stainless Steel Wall Fittings



JL3

Max wattage:	240V / 60W E27
Lamps:	1 x 60W or 1 x 11W, 14W, 15W T ornado, 16W E27
Length:	300mm
Width:	230mm
Depth:	98mm
Colours:	Stainless steel
Class:	II
IP:	44
Code:	V1P/SUN-JL3



JL4

Max wattage:	240V / 60W E27
Lamps:	1 x 60W
Length:	300mm
Width:	230mm
Depth:	98mm
Colours:	Stainless steel
Class:	I
IP:	44
Code:	V1P/SUN-JL4




5

Bricklights


Die-cast Aluminium Body with Glass-lens Plain

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 8W, 11w, 14W , 15W, 16W E27
Length:	225mm
Height:	125mm
Depth:	100mm
Colours:	White/Black
Class:	I
IP:	54
Code:	V1P/C/3105-B8




Die-cast Aluminium Body with Glass-lens Plain

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 11W, 14W, 15W , E27
Length:	235mm
Height:	100mm
Depth:	85mm
Colours:	White/Black
Class:	I
IP:	44
Code:	V1P/C/9201-B4



Die-cast Aluminium Body with Glass-lens Eyelid

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 8W, 11w, 14W , 15W, 16W E27
Length:	225mm
Height:	125mm
Depth:	100mm
Colours:	White/Black
Class:	I
IP:	54
Code:	V1P/C/3106-B12




5

Bricklights



Die-cast Aluminium Body with Glass-lens Grill

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 8W, 11w, 14W , 15W E27
Length:	235mm
Height:	100mm
Depth:	85mm
Colours:	White/Black
Class:	I
IP:	44
Code:	V1P/9202-B4G




Die-cast Aluminium Body with Glass-lens Anti-Glare

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 8W, 11w, 14W , 15W, 16W E27
Length:	225mm
Height:	125mm
Depth:	100mm
Colours:	White/Black
Class:	I
IP:	54
Code:	V1P/C/3104-B9



Die-cast Aluminium Body with Glass-lens Louvre

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 11W, 14W , 15W E27
Length:	235mm
Height:	100mm
Depth:	85mm
Colours:	White/Black
Class:	I
IP:	44
Code:	V1P/9203-B4L




5

Outdoor Lanterns


4 Glass Panel Up-Facing Lantern - Die-cast Aluminium

Max wattage: 240V / 60W
 Lamps: 1 x 60W
 15W , 16W
 Height: 330mm
 Width: 200mm
 Colours: White/Black
 Class: I
 IP: 44
 Code: V1P/5019A-OL/4/U




4 Glass Panel Down-Facing Lantern - Die-cast Aluminium

Max wattage: 240V / 60W
 Lamps: 1 x 60W or 1 x 11w, 14W,
 15W , 16W
 Height: 330mm
 Width: 160mm
 Colours: White/Black
 Class: I
 IP: 44
 Code: V1P/5019AD-OL/4/D



4 Glass Panel Pedestal - Die-cast Aluminium

Max wattage: 240V / 60W
 Lamps: 1 x 60W or 1 x 11w, 14W,
 15W , 16W
 Height: 350mm
 Width: 155mm
 Colours: White/Black
 Class: I
 IP: 44
 Code: V1P/5019SI-OL/4/P




Lamps not included

5

Outdoor Lanterns


4 Glass Panel Down-Facing Lantern - Die-cast Aluminium

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 11w, 14W, 15W , 16W
Height:	360mm
Width:	240mm
Colours:	White/Black
Class:	I
IP:	44
<i>Code: V1P/5009AD-OL/6/D</i>	




6 Glass Panel Up-Facing Lantern - Die-cast Aluminium

Max wattage:	240V / 60W
Lamps:	1 x 60W 15W , 16W
Height:	370mm
Width:	220mm
Colours:	White/Black
Class:	I
IP:	44
<i>Code: V1P/5009A-OL/6/U</i>	



4 Glass Panel Pedestal - Die-cast Aluminium

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 11w, 14W, 15W , 16W
Height:	390mm
Width:	240mm
Colours:	White/Black
Class:	I
IP:	44
<i>Code: V1P/5009SI-OL/6/P</i>	




5

Outdoor Lanterns


3 Glass Panel Half Lantern - Die-cast Aluminium (Midi)

Max wattage:	240V / 60W
Lamps:	1 x 60W 15W , 16W
Height:	350mm
Width:	210mm
Colours:	White/Black
Class:	I
IP:	44
Code: V1P/5406-OL4	



5 Glass Panel Half Lantern - Die-cast Aluminium with Double Lamp

Max wattage:	240V / 120W
Lamps:	2 x 60W 15W , 16W
Height:	380mm
Width:	222mm
Colours:	White/Black
Class:	I
IP:	44
Code: V1P/5403-OL2	





Lamps not included

Outdoor Lanterns



3 Glass Panel Half Lantern - Die-cast Aluminium (Narrow)

Max wattage:	240V / 60W
Lamps:	1 x 60W E27
Height:	360mm
Width:	160mm
Colours:	White/Black
Class:	I
IP:	44
Code: V1P/5046-OL/3/N	



3 Glass Panel Half Lantern - Die-cast Aluminium (Wide)

Max wattage:	240V / 60W
Lamps:	1 x 60W E27
Height:	445mm
Width:	255mm
Colours:	White/Black
Class:	I
IP:	44
Code: V1P/5025-OL3W	



Lamps not included

5

Fluorescent Vapour Proof Fittings


Also available in electronic



18W Vapour Proof Fitting (2 Foot)


Max wattage: 240V /18W
 Lamp: 1 or 2 x 18W T8 Fluorescent lamps
 ABS Base with Polycarbonate Diffuser
 Switch start ballast
 Colours: Light grey base with clear diffuser
 Class: I
 IP: 65
 Code: ~~V1P/TRX-TP334E1~~ - 1lamp
 V1P/TRX-TP334E - 2lamps

Lamps not included



36W Vapour Proof Fitting (4 Foot)

Max wattage: 240V /36W
 Lamp: 1 or 2 x 36W T8 Fluorescent lamps
 ABS Base with Polycarbonate Diffuser
 Switch start ballast
 Colours: Light grey base with clear diffuser
 Class: I
 IP: 65
 Code: ~~V1P/TRX-TP334C1~~ - 1lamp
 V1P/TRX-TP334C - 2lamps



58W Vapour Proof Fitting (5 Foot)

Max wattage: 240V /58W
 Lamp: 1 or 2 x 58W T8 Fluorescent lamps
 ABS Base with Polycarbonate Diffuser
 Switch start ballast
 Colours: Light grey base with clear diffuser
 Class: I
 IP: 65
 Code: ~~V1P/TRX-TP334D1~~ - 1lamp
 V1P/TRX-TP334D - 2lamps

Lamps not included




5

Bollards


Glass Reinforced Polyester Bollard

Max wattage:	240V / 100W
Lamps:	1 x 60W
Length:	1,200mm
Width:	175mm
Colours:	White/Black/Green
Class:	I
IP:	44
Code:	V1P/FITT/BOLL



Stainless Steel Bollard

Max wattage:	240V / 60W
Lamps:	1 x 60W
Length:	650mm
Width:	145mm
Colours:	Stainless steel
Class:	I
IP:	44
Code:	V1P/TRX-50-STO72



Wall Light

Wall Light Stainless Steel

Max wattage:	240V / 60W
Lamps:	1 x 60W or 1 x 11w, 14W E27 CFL
Length:	365mm
Width:	145mm
Colours:	Stainless steel
Class:	I
IP:	44
Code:	V1P/TRX-50-ST072A



Garden Spike Light with Glass Lens

Die-cast Aluminium Garden Spike Light with Glass Lens (230V)

Max wattage:	240V / 50W
Lamps:	GU10/GZ10 Par16 Halogen
No transformer required	
Length:	320mm
Adjustable head	
Colours:	Black
Class:	I
IP:	44
Code:	V1P/8003-L7



5

Die-cast Aluminium Garden Spike Light with Glass Lens (12Volt)

Max wattage:	12V / 50W
Lamps:	MR16 (12V 50W)
Transformer required	
Length:	320mm
Adjustable head	
Colours:	Black
Class:	III
IP:	44
Code:	V1P/8003-L7/LV




Lamps not included

Garden Spike Light with Glass Lens

Plastic Garden Spike Light


Max wattage:	80W or 120W
Lamps:	PAR38 E27
No transformer required	
Length:	450mm
Adjustable head	
Colours:	Black
Class:	II
IP:	54
Code:	V1P/TRX-GS1



Lamps not included

Plastic Garden Spike Light


Max wattage:	240V, 80W or 120W
Lamps:	PAR38 E27 x 2
Transformer required	
Length:	450mm
Twin adjustable heads	
Colours:	Black
Class:	II
IP:	54
Code:	V1P/TRX-GS2



Garden Spike Light with Glass Lens

Plastic Garden Wall Light


Max wattage: 240V, 80W/120W
 Lamps: PAR38 E27
 No transformer required
 Length: 220mm
 Adjustable head
 Colours: Black
 Class: II
 IP: 54
 Code: V1P/TRX-SW1



5

Plastic Garden Wall Light

Max wattage: 240V, 80W/120W
 Lamps: PAR38 E27 x 2
 Transformer required
 Length: 220mm
 Twin adjustable heads
 Colours: Black
 Class: II
 IP: 54
 Code: V1P/TRX-TW2



Lamps not included

Prism Pole Tops

DTL Pole Top

Max wattage: 240V /125W
 Lamps: 70HPS, 80/125MV or E27
 Diameter: 470mm
 Height: 220mm
 Colours: Green/Grey/Black/White

Also available in E27

Made to fit a standard 7.6cm GI pipe

Class: I

IP: 55

Code: V1PPRISMDTL080MVGA


V1PPRISMDTL125MVGA

V1PPRISMDTL70HPSGE

V1PPRISMDTLESE,GRN,GRY,WHT (For incandescent or mercury blended)



Control gear not included



Modena Pole Top

Max wattage: 240V / 125W
 Lamps: 70HPS, 80/125MV or E27
 Diameter: 470mm
 Height: 350mm
 Colours: Green/Grey/Black/White

Made to fit a standard 7.6cm GI pipe


Class: I

IP: 55

Code: V1PPRSIMMOD125W



Control gear included




5

Sphere Bowl Fittings


Sphere

Max wattage:	240V / 60W
Lamps:	E27
Diameter:	300mm
Height:	256mm
Colours:	Opal white sphere with black base
Class:	I
IP:	44
Code:	V1PPRISMSPH300+GALL





Sphere

Max wattage:	240V / 60W
Lamps:	E27
Diameter:	250mm
Height:	306mm
Colours:	Opal white sphere with black base
Class:	I
IP:	44
Code:	V1PPRISMSPH250+GALL



Sphere Basket

Max wattage:	240V / 60W
Lamps:	E27
Diameter:	250mm
Height:	133mm
Colours:	Opal white sphere with black basket
Class:	I
IP:	44
Code:	V1PPRISMSPH250+BASK



5


Outdoor Lights

Sphere Bowl Fitting Accessories

Pole Mount

For 250 and 300 Sphere


Code: V1PPRISMPOSTMOUNTPO



Arm Extension

Arm extension for 250 and 300 Sphere

Code: V1PPRISMARMEXTENSIO



PAR38 Garden Spike

Garden Spike PAR38 Complete

Lamps:	PAR38 120W
Height:	380mm
Colours:	Black/Green
Class:	I
IP:	55

Code: V1P/GS38




5

Flood Light Energy Saver

Energy Saver Flood E27

Lamps:	Max 45W Energy saver E27
Height:	165mm
Width:	320mm
Colours:	Black/White
Class:	I
IP:	55

Code: V1P/ASIFL45WEN



Garden Spike Light with Glass Lens

Die-cast Aluminium Garden Spike Light with Glass Lens (230V)

Max wattage:	240V / 50W
Lamps:	GU10/GZ10 Par16 Halogen
No transformer required	
Length:	320mm
Adjustable head	
Colours:	Black
Class:	I
IP:	44
Code: V1P/8003-L7	



5

Die-cast Aluminium Garden Spike Light with Glass Lens (12Volt)

Max wattage:	12V / 50W
Lamps:	MR16 (12V 50W)
Transformer required	
Length:	320mm
Adjustable head	
Colours:	Black
Class:	III
IP:	44
Code: V1P/8003-L7/LV	




Lamps not included

Garden Spike Light with Glass Lens


Plastic Garden Spike Light

Max wattage:	80W or 120W
Lamps:	PAR38 E27
No transformer required	
Length:	450mm
Adjustable head	
Colours:	Black
Class:	II
IP:	54
Code:	V1P/TRX-GS1



Plastic Garden Spike Light

Max wattage:	240V, 80W or 120W
Lamps:	PAR38 E27 x 2
Transformer required	
Length:	450mm
Twin adjustable heads	
Colours:	Black
Class:	II
IP:	54
Code:	V1P/TRX-GS2




Lamps not included

Garden Spike Light with Glass Lens

Plastic Garden Wall Light


Max wattage: 240V, 80W/120W
 Lamps: PAR38 E27
 No transformer required
 Length: 220mm
 Adjustable head
 Colours: Black
 Class: II
 IP: 54
 Code: V1P/TRX-SW1



5

Plastic Garden Wall Light

Max wattage: 240V, 80W/120W
 Lamps: PAR38 E27 x 2
 Transformer required
 Length: 220mm
 Twin adjustable heads
 Colours: Black
 Class: II
 IP: 54
 Code: V1P/TRX-TW2



Lamps not included

Prism Pole Tops

DTL Pole Top

Max wattage: 240V /125W
 Lamps: 70HPS, 80/125MV or E27
 Diameter: 470mm
 Height: 220mm
 Colours: Green/Grey/Black/White

Also available in E27

Made to fit a standard 7.6cm GI pipe

Class: I

IP: 55

Code: V1PPRISMDTL080MVGA


V1PPRISMDTL125MVGA

V1PPRISMDTL70HPSGE

V1PPRISMDTLESE,GRN,GRY,WHT (For incandescent or mercury blended)



Control gear not included



Modena Pole Top


Max wattage: 240V / 125W
 Lamps: 70HPS, 80/125MV or E27
 Diameter: 470mm
 Height: 350mm
 Colours: Green/Grey/Black/White

Made to fit a standard 7.6cm GI pipe


Class: I

IP: 55

Code: V1PPRSIMMOD125W



Control gear included




5

Sphere Bowl Fittings


Sphere

Max wattage: 240V / 60W
 Lamps: E27
 Diameter: 300mm
 Height: 256mm
 Colours: Opal white sphere with black base
 Class: I
 IP: 44
 Code: V1PPRISMSPH300+GALL





Sphere

Max wattage: 240V / 60W
 Lamps: E27
 Diameter: 250mm
 Height: 306mm
 Colours: Opal white sphere with black base
 Class: I
 IP: 44
 Code: V1PPRISMSPH250+GALL



Sphere Basket

Max wattage: 240V / 60W
 Lamps: E27
 Diameter: 250mm
 Height: 133mm
 Colours: Opal white sphere with black basket
 Class: I
 IP: 44
 Code: V1PPRISMSPH250+BASK



5


Outdoor Lights

Sphere Bowl Fitting Accessories

Pole Mount

For 250 and 300 Sphere


Code: V1PPRISMPOSTMOUNTPO



Arm Extension

Arm extension for 250 and 300 Sphere

Code: V1PPRISMARMEXTENSIO




PAR38 Garden Spike

Garden Spike PAR38 Complete

Lamps:	PAR38 120W
Height:	380mm
Colours:	Black/Green
Class:	I
IP:	55

Code: V1P/GS38




Flood Light Energy Saver

Energy Saver Flood E27

Lamps:	Max 45W Energy saver E27
Height:	165mm
Width:	320mm
Colours:	Black/White
Class:	I
IP:	55

Code: V1P/ASIFL45WEN



5